



EDTA Calcium 3% (Eresta[®] 3Ca)

For Prevention or Correction of Calcium Deficiency in Most Crops

GUARANTEED ANALYSIS

Calcium (Ca)3% As Chelated Calcium
Calcium Derived From Calcium EDTA Acid (Ca EDTA)
Net Weight of Calcium/gal: 3.0 lbs
Net weight/gal: 10.00
Net Weights:
Drums: 572 Lbs (55 Gallons)
Totes: 2860 lbs (275 Gallons)
Jugs: 52 lbs/case (2X2.5 Gallon Case)

General Information

STORE AT ROOM TEMPERATURES

Eresta[®] 3 Ca (Calcium EDTA) is generally compatible with pesticides and fertilizer solutions. It is always advisable to test for compatibility on a small scale before tank mixing product. Always add this micronutrient to water before adding to pesticides. Always consult your state Agricultural Experiment Station, or Extension Agent for additional information on rates, timing of application and sensitivity of varieties or hybrids to photo-toxicity.

CAUTION: Harmful if swallowed. Avoid contact with Eyes, skin, and clothing. Avoid breathing spray mist. READ LABEL-----FOLLOW DIRECTIONS! Refer to SDS for health, safety, and environmental Information. KEEP OUT OF REACH OF CHILDREN

NorAg Technology LLC
1214 NC Hwy 700
Pelham, NC 27311
PH: 336-340-9027
LOT# _____

Soil Applications: EDTA Calcium 3% can be applied alone or in combination with liquid fertilizer for pre-plant, starter or side dress applications. For most effective treatment of row crops, make soil applications in a band at planting time or as a side dressing shortly after planting.

Can be used for the following crops, Consult your county agent for more details. Field and vegetable crops including corn, rice, potatoes, beans, cotton, tomatoes, Fruits and Nuts, etc.

Soil Applications: Apply 5-12 lbs of EDTA Calcium 3% per acre in liquid starter fertilizer. Rate will depend on extent of the Calcium deficiency and soil conditions.

Foliar Applications: Apply 3-8 lbs of EDTA Calcium 3% per acre in a minimum 20-100 gallons of water.

Mixing Instructions:

Put 1/3 of water in tank. Add other chemicals, if any.
Fill tank with balance of fertilizer or water. Add correct amount of EDTA Calcium 3%. Agitate adequately to mix.

This product may be corrosive to aluminum, mild steel and brass. Store in HDPE, fiberglass or stainless steel containers. Use only Stainless steel, PVC or polypropylene fittings. Store in cool place in original container in a locked storage area inaccessible to Children.

Do not reuse containers, Triple rinse then offer for recycling
Disposal by procedures approved by state or local authorities.

Conditions of Sale: NorAg Technology LLC (Company) warrants that this product Conforms to the chemical description of the label and is Reasonably fit for the purposes stated on the label when used in accordance with the directions under normal use. This warranty does not extend to the use of this product contrary to label instruction, or under abnormal use conditions. THE COMPANY DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. THE COMPANY SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND THE COMPANY'S SOLE LIABILITY AND BUYERS AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. BUYER AND SELLER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. THE COMPANY DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO , MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS SPRODUCT.